

## **DETAILED ACTION**

### ***Examiner's Amendment***

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Adam Cox on November 17, 2008.

The application has been amended as follows:

Claim 7, line 3 – replace “recess” with - - aperture - - to correspond with antecedent basis provided for that term.

### ***Allowable Subject Matter***

2. Claims 7-13 are allowed.
3. Applicant's arguments are persuasive. The prior art does not teach or make obvious all limitations particularly including a fastener disposed in the threaded region so that as it is threaded in, it engages the abutment region and moves the inner element away from the plug-in element until the counter lugs bear against the support element.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary Estremsky whose telephone number is 571 272-7055. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Victor Batson can be reached on 571 272-6987. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Gary Estremsky  
Primary Examiner  
Art Unit 3677

/Gary Estremsky/  
Primary Examiner, Art Unit 3677